

PRODUCT SPEC SHEET

40 x 48 Odyssey 3-Runner Pallet Improves Handling Efficiency in Automation

The efficient storage and transportation of palletized product is key to designing an effective and economical supply chain.

The Odyssey 3-Runner rackable pallet is a robust solution that supports heavy loads and provides load stability with unique design features, including heavy-duty steel reinforcements and permanent molded-in frictional elements. Plastic pallets are the ideal alternative to wood, as they are fully reusable and offer dimensional consistency optimized for automated equipment.

- **Automated excellence** — Can withstand the deflection requirements of most automated systems
- **Racking strength** — High strength-to-weight ratio capable of unsupported rack loads up to 3,000 including ASRS systems
- **Load stability** — Permanent, molded-in frictional elements minimize load shifting and do not damage product packaging
- **Ergonomic** — Lightweight design and comfortable hand holds for easy manual handling
- **Impact resistant** — Robust and highly resistant to impact from equipment, ideal for rugged applications
- **Hygienic** — Flow-through, hygienic design for easy cleanability

See how efficiently and effectively the 3-Runner Odyssey pallet can reduce transportation costs and streamline your operations.



Applications

- General food processing, including cold and frozen storage of meat, bakery, produce and dairy
- Dry goods, including apparel, periodicals, pharmaceuticals and other consumer packaged goods
- Receipt of raw materials and finished goods storage



Minimize load shifting with optional molded-in frictional elements*



Built-in reinforcements



Keep plants and equipment clean with hygienic design options



Seamless conveyance with 3-runner bottom; full picture frame bottom available


**Frictional elements are offered in black only and modeled in green solely for illustration.*

PRODUCT SPEC SHEET


40 x 48 Odyssey 3-Runner Pallet

Odyssey Specifications

Pallet Dimensions



Frictional Element Configuration



Odyssey Model Options and Specifications

Upper Dimensions (English/imperial); Lower Dimensions (metric)

Model	Dimensions (in/mm)			Weight (lbs/kg)	Load Capacity (lbs/kg)		Rack Rating		40' Truckload Qty	53' Truckload Qty
	L	W	H		Static	Dynamic	Selective Edge	Decking Center		
40 x 48 Odyssey 3-Runner HD (Open Deck & Reinforcements)	48.0 1,219	40.0 1,016	6.0 152	51.0 23.0	30,000 13,608	6,000 2,722	3,000 1,270	6,000 2,722	336	540

Feature options include:

- Molded Logos
- Hot stamps
- Frictional elements
- Track and trace



PRODUCT KEY FEATURES

40 x 48 Odyssey® 3-Runner Pallet

Designed for efficient automation.

The new Odyssey® 3-Runner rackable pallet is a robust solution for heavy loads and provides load stability with unique design features and accessory options. It is an ideal alternative to wood, as it is fully reusable and offers dimensional consistency optimized for automated equipment.

- 1 / Ergonomic hand holds
- 2 / Open flow through design
- 3 / Optional RFID
- 4 / Optional molded logo
- 5 / Optional hot stamp
- 6 / Four-way fork entry
- 7 / Molded-in frictional elements
- 8 / Stretch wrap holder
- 9 / 3-Runner bottom
- 10 / Optional tracking device
- 11 / 48" reinforcements for superior strength



Model	Dimensions (in/mm)			Weight (lbs/kg)	Load Capacity (lbs/kg)		Rack Rating		40' Truckload Qty	53' Truckload Qty*
	L	W	H		Static	Dynamic	Selective Edge	Decking Center		
40x48 Odyssey 3-Runner HD (Open Deck & Reinforcements)	48.0 1,219	40.0 1,016	6.0 152	49.0 22.2	30,000 13,608	6,000 2,722	3,000 1,270	6,000 2,722	336	540

* Reinforcements available in 48" direction