



Powered by Menasha Corporation

PRODUCT SPEC SHEET

OPTEBULK 45X48 CONTAINER

The 45x48 OpteBulk container is a collapsible bulk container comprised of a reusable sleeve, pallet and topcap. A sustainable alternative to single-use paper gaylords which offers transportation, packaging, and warehouse cost savings.

- Lightweight container can be assembled & collapsed with single operator
- Effective collapsibility. Up to 230% more containers per trailer than rigid plastic knockdown containers
- The clamshell design kits all components together for efficient storage
- Sleeves are fabricated from Tri-Clone, a tri-laminated PP extrusion with bi-directional strength
- Accommodates 28 pallet positions per trailer vs. traditional 30 pallet positions



Multi-piece sleeves for operator access available



Active sleeve locks in both pallet and topcap



Tri-Clone vs. Paper:
Rounded edge seal with smooth, cleanable surface



Optional access doors with Velcro latching



Secure stacking feature

(800) 890.7292

+1 (262) 560.5000

www.orbiscorporation.com

A Better Way with ORBIS®

The information contained herein is subject to change without notice. Statements regarding the application of the product(s) are based on general industry knowledge and are non-binding; it is the customer's responsibility to validate that a particular product is suitable for use in a particular application. The information contained herein does not expand or otherwise modify ORBIS' terms and conditions of sale, including, but not limited to, the warranty expressed therein. ORBIS hereby disclaims: (1) all liability with respect to the accuracy, reliability, or completeness of the information contained herein; and (2) all warranties, express or implied, with respect to the information contained herein, including, without limitation, with respect to the suitability of the products for any particular purpose or application. ©2025 ORBIS Corporation [08/25]



Powered by Menasha Corporation


PRODUCT SPEC SHEET

OPTEBULK 45X48 SYSTEM

	Outside Dimensions (in/mm)			Inside Dimensions (in/mm)			Weight (lbs/kg)	Internal Fill Volume (cu ft.)	Container Capacity (lbs) Dynamic	Max Stacking Capacity (lbs) Static
	L	W	H	L	W	H				
OPTE4548-27	48.8 1240	44.5 1130	26.4 671	46.0 1168	41.8 1062	18.5 470	57.3 26.0	20.6 0.58	450 204	2,000 906
OPTE4548-35	48.8 1240	44.5 1130	34.9 886	46.0 1168	41.8 1062	27.0 686	63.8 28.9	30.0 0.84	450 204	2,000 906
OPTE4548-52	48.8 1240	44.5 1130	51.4 1306	46.0 1168	41.8 1062	43.5 1105	76.2 34.5	48.4 1.36	450 204	1,700 770

	Access Door Openings				Return Ratio	53' Truckload Qty.		Sleeve Material
	Height		Width			Assembled	Collapsed	
	Long Side	Short Side	Long Side	Short Side				
OPTE4548-27	8.8 225	- -	33.5 850	- -	3 : 1	112	336	Tri-Clone 10mm
OPTE4548-35	13.0 330	- -	33.5 850	- -	4 : 1	84	336	
OPTE4548-52	- -	21.0 533	- -	23.1 587	5 : 1	56	280	

Custom container heights, sleeve styles, and features available upon request



The information contained herein is subject to change without notice. Statements regarding the application of the product(s) are based on general industry knowledge and are non-binding; it is the customer's responsibility to validate that a particular product is suitable for use in a particular application. The information contained herein does not expand or otherwise modify ORBIS' terms and conditions of sale, including, but not limited to, the warranty expressed therein. ORBIS hereby disclaims: (1) all liability with respect to the accuracy, reliability, or completeness of the information contained herein; and (2) all warranties, express or implied, with respect to the information contained herein, including, without limitation, with respect to the suitability of the products for any particular purpose or application. ©2025 ORBIS Corporation [08/25]